



## MATERIAL SAFETY DATA SHEET

**PRODUCT TRADE NAME:**

**HOMAX PRODUCTS, INC.**

**MESH TAPE**

**ITEM #5410, 5420, 5430, 5530**

(HAZARD RATING: 0 = LEAST, 1 = SLIGHT, 2 = MODERATE, 3 = HIGH,  
4 = EXTREME)

HAZARDOUS MATERIAL INFORMATION SYSTEM	
HEALTH	1
FLAMMABILITY	0
REACTIVITY	0
PROTECTIVE EQUIPMENT	---

### SECTION I - MANUFACTURER IDENTIFICATION

**MANUFACTURER'S NAME:**  
HOMAX PRODUCTS, INC.  
468 W. HORTON RD.  
BELLINGHAM WA 98226

**24 HOUR EMERGENCY PHONE NUMBER:**

CHEMTREC 1-800-424-9300

**INFORMATION PHONE NUMBER:** 1-800-729-9029

**DATE OF PREPARATION:** 01/15/03

### SECTION II - HAZARDOUS INGREDIENTS/IDENTITY INFORMATION

CAS NUMBER	DESCRIPTION	WEIGHT %	OSHA PEL	ACGIH TLC
65997-17-13	FIBROUS GLASS (DUST)	NEGL.	15mg/cuM 5mg/cuM - RESPIRABLE	10mg/cuM

AMOUNTS OF DUST WILL BE DEPENDENT UPON METHOD OF HANDLING.

### SECTION III - HEALTH HAZARD DATA

**INHALATION:**

MECHANICAL IRRITATION

**SKIN CONTACT:**

MECHANICAL IRRITATION

**INGESTION:**

MECHANICAL IRRITATION

**EYES:**

MECHANICAL IRRITATION

**MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE:**

DERMATITIS, HOWEVER, SENSITIVITY VARIES FROM INDIVIDUAL TO INDIVIDUAL.

**CARCINOGENICITY:**

N/A

---

**SECTION IV – EMERGENCY AND FIRST AID PROCEDURES**


---

**INHALATION:**

REMOVE TO FRESH AIR. IF BREATHING IS DIFFICULT, GIVE OXYGEN. IF BREATHING HAS STOPPED, GIVE ARTIFICIAL RESPIRATION. GET MEDICAL ATTENTION.

**SKIN CONTACT:**

WASH WITH SOAP AND WATER OR USE WATERLESS HAND CLEANER. DO NOT USE SOLVENTS OR THININERS TO CLEAN SKIN.

**INGESTION:**

IF VICTIM IS CONSCIOUS, GIVE LIQUIDS. CALL A PHYSICIAN. DO NOT INDUCE VOMITING UNLESS DIRECTED TO DO SO BY A PHYSICIAN.

**EYES:**

FLUSH WITH LARGE AMOUNTS OF WATER WHILE HOLDING EYELIDS OPEN. GET MEDICAL ATTENTION IF IRRITATION PERSISTS.

---

**SECTION V – FIRE AND EXPLOSION DATA**


---

FLASH POINT & METHOD: >300 F >149 C

AUTOIGNITION TEMPERATURE: N/A

FLAMMABLE LIMITS IN AIR: N/A

EXTINGUISHING MEDIA: DRY CHEMICAL, WATER FOG, FOAM, CO2

FIREFIGHTING PROCEDURES: IF ENTERING A CONFINED AREA, FIREFIGHTERS SHOULD WEAR A NIOSH APPROVED SELF-CONTAINED BREATHING APPARATUS.

OTHER PRECAUTIONS: THE FIBERGLASS WILL NOT BURN. NUMBERS CITED ARE FOR ORGANIC RESIN FINISH.

---

**SECTION VI – REACTIVITY DATA**


---

**STABILITY:**

STABLE

**INCOMPATIBILITY / MATERIALS TO AVOID:**

AVOID CONTACT WITH STRONG OXIDIZERS

**HAZARDOUS BY – PRODUCTS OF DECOMPOSITION:**

CARBON MONOXIDE, CARBON DIOXIDE, ALDEHYDES, AND OTHER UNIDENTIFIED COMPOUNDS MAY FORM UPON COMBUSTION OF THE ORGANIC RESIN FINISH.

---

**SECTION VII – PHYSICAL / CHEMICAL DATA**


---

BOILING POINT: N/A

MELTING POINT: >195 F (ADHESIVE)

EVAPORATION RATE: ND

pH: N/A

SPECIFIC GRAVITY (WATER = 1): 1.2 – 1.3

SOFTENING POINT: >160 F (ADHESIVE)

VAPOR DENSITY (AIR = 1) N/A

SOLUBILITY: INSOLUBLE IN WATER

APPEARANCE AND ODOR: WOVEN FABRIC, NO DISCERNIBLE ODOR

ADDITIONAL COMMENTS: VOLATILE ORGANIC CONTENTS 0%

---

**SECTION VIII – PERSONAL PROTECTION**


---

**RESPIRATORY PROTECTION:**

NOT NORMALLY REQUIRED. IF REQUIRED USE NIOSH APPROVED DUST RESPIRATOR.

**PROTECTIVE CLOTHING:**

IMPERVIOUS GLOVES SUCH AS NEOPRENE OR VINYL

**ADDITIONAL PROTECTIVE MEASURES:**

DO NOT INGEST. SAFETY GLASSES / GOGGLES. WEAR A PROTECTIVE APRON IF REPEATED CONTACT IS LIKELY. SHOWER AND CLEAN WORK CLOTHES DAILY IS RECOMMENDED.

---

**SECTION IX – SAFE USAGE INFORMATION**

---

**HANDLING, STORAGE, & OTHER PRECAUTIONS:**

STORE AND USE IN A MANNER THAT WILL PREVENT AIRBORNE PARTICULATE IN THE WORKPLACE.

**ACTION TO BE TAKEN IN CASE OF SPILL OR RELEASE (INCLUDING DISPOSAL):**

WASTES SHOULD BE DISPOSED OF ACCORDING TO FEDERAL, STATE, AND LOCAL REGULATION.

---

**SECTION X - DISCLAIMER**

---

TO THE BEST OF OUR KNOWLEDGE, THE INFORMATION CONTAINED HEREIN IS ACCURATE, OBTAINED FROM SOURCES BELIEVED BY HOMAX PRODUCTS, INC. TO BE ACCURATE. SINCE THE CONDITIONS AND METHODS OF USE OF OUR PRODUCTS ARE BEYOND OUR CONTROL, WE DISCLAIM ANY AND ALL LIABILITY ARISING OUT OF THE IMPROPER USE OF THESE PRODUCTS OR THE INFORMATION PROVIDED HERewith.